



www.zarmini.com

# ZAR mini

## TECHNICAL DATA

### Aluminium RIB tenders

	RIB 10	RIB 11L	RIB 12DL
<b>Length overall</b>	9'11" ft/inches (300 cm)	10'10" ft/inches (330 cm)	11'10" ft/inches (360 cm)
<b>Length inside</b>	6'10" ft/inches (208 cm)	7'10" ft/inches (238 cm)	8'10" ft/inches (268 cm)
<b>Width overall</b>	5'3" ft/inches (160 cm)	5'3" ft/inches (160 cm)	5'3" ft/inches (160 cm)
<b>Width inside</b>	2" ft/inches (80 cm)	2'8" ft/inches (80 cm)	2'8" ft/inches (80 cm)
<b>Tube diameter</b>	17" ft/inches (43 cm)	17" ft/inches (43 cm)	17" ft/inches (43 cm)
<b>Bare boat weight*</b>	108, 121/134(D/L), 148(DL) pound 49, 55/61(D/L), 67(DL) kg	150(L), 163(DL) pound 68(L), 74(DL) kg	174 pound 79 kg
<b>Loading capacity</b>	1100 pound (500 kg)	1210 pound (550 kg)	1320 pound (600 kg)
<b>Passanger capacity</b>	5 Persons	5 Persons	6 Persons
<b>No of chambers</b>	3 pcs	3 pcs	3 pcs
<b>Engine recommended</b>	7.4 kW (10 HP)	7.4 kW (10 HP)	7.4 kW (10 HP)
<b>Engine max.</b>	14.7 kW (20 HP)	14.7 kW (20 HP)	14.7 kW (20 HP)
<b>Engine weight max.</b>	112 pound (55 kg)	112 pound (55 kg)	112 pound (55 kg)
<b>Tube material</b>	CSM (Hypalon**), PVC	CSM (Hypalon**), PVC	CSM (Hypalon**), PVC
<b>Shaft length</b>	short	short	short
<b>Floor type</b>	V	V	flat
<b>Keel</b>	Medium V	Medium V	Medium V
<b>Hull</b>	Aluminium RIB hull	Aluminium RIB hull	Aluminium RIB hull
<b>Bow locker</b>	Optional	Standard	Standard
<b>Boat design category*1</b>	–	–	–
<b>Package size 1st box</b>	260*125*40/49L cm	290*125*49 cm	305*125*49 cm

\* 1 All boats under 250 cm do not need a CE certificate.

\* The bare boat weight is just the weight of the boat without any removable accessory.

\*\* CSM material is formally known as Hypalon. Diffrence in colour!

All technical details can change without prior notice.

All standard equipment and technical data may vary without prior notice!

Pictures might show optional equipment not included in the standard equipment of the boat.

ZAR FORMENTI SRL

Vigna della Pace 2/2 20086  
Motta Visconti (MI) - ITALY

www.zarmini.com

Tel: +39 (00) 02.900 00 788

Fax: +39 (00) 02.900 01 850



# ZAR mini

## Serie RIB

RIB 10, RIB 11L & RIB 12DL

The **ZAR mini™ RIB** line features a wide range of models. All boats can be equipped with a bow locker ("L") and a flat double flooring ("D"). All boats, starting from RIB 11 have a bow locker and from RIB 12 a double flooring and a bow locker as standard features. Below these sizes (RIB 8, 9 & 10) you can specify what you need.

As optional equipment there are steering consoles and double seating (starting from RIB9 and only with double floor). You can also choose from a variety of sun shades, bilge pumps, cushions and many more accessories. Please ask your **ZAR mini™** dealer, who can advise you.

The **ZAR mini™ RIB** line can easily pull water toys, waterskiers (from 25 hp) and tubes with the two installed D-rings on the transom.

Every **ZAR mini™** has three lifting Davit lifting points. One in the bow and two on the transom. If your **ZAR mini™** has a bow locker, you will have four lifting points.

Due to the very light aluminum hull it can go very fast and plane easily with a smaller engine. The hull will not face any problems of Osmosis or gel coat defects like a fiberglass hull. It will also last longer and not become heavier during use. The aluminum hull is specially manufactured and powder coated to resist corrosion and saltwater. You will have a lot of fun with your **ZAR mini™ RIB**.

All RIB models **ZAR mini™** up to RIB 14 have a 5-layer reinforced high quality 1.100 dtex PVC material with a weight of 1.050g/m<sup>2</sup> and a thickness of 0.9 mm.

All RIB models from **ZAR mini™** starting from RIB 15 have a 5-layer reinforced high quality 1.100 dtex PVC material with a weight of 1.500g/m<sup>2</sup> and a thickness of 1.2 mm.

All **ZAR mini™ RIB** models are also available in CSM (formerly known as Hypalon™ from DuPont™) with a special design.

Please ask your **ZAR mini™** dealer for further details. CSM lasts much longer than PVC and is more resistant toward UV light, acid, alkalis, saltwater, heat and cold. We use Hypatex™ that is one of the best materials on the world market today. It has been manufactured for 60 years.

All PVC seams of the **ZAR mini™** tube chambers are welded\*. All boats feature an overpressure valve as standard equipment, that will protect your tube when inflated properly. High quality materials, paired with constant research & development, are the key to success.

Every single **ZAR mini™** inflatable boat passes a very strict quality control process before we deliver it to our valued customers. Just in case a mistake passes the quality control, you will be protected by our limited 2 years warranty after registering your boat with us.

With our high level of standard equipment, and our modern Italian Design, the **ZAR mini™** inflatables are one of a kind. Starting from RIB 13 you will have an extra wide bow.

For all kinds of watersports you can find a suitable **ZAR mini™ RIB**; Waterskiing, cruising, SCUBA diving, fishing or as a tender to your yacht, **ZAR mini™ RIB** is able to satisfy your expectations.

\*starting from production month May 2016






www.zarmini.com

# ZAR mini

## RIB 10 RIB 11L

Aluminium RIB tenders – Ultra light



CSM (Hypalon) in grey



www.zarmini.com

# ZAR mini

## RIB 12DL

Tender RIB in Alluminio – equipped with a flat double flooring and bow locker

