



www.zarmini.com

ZAR mini

TECHNICAL DATA

Classic ALU and ALU with speedtubes

| | ALU 9 | ALU 10 | ALU 11 | ALU 12 | ALU 13 | ALU 14 | ALU 15 |
|-------------------------------|--|-----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|
| Length overall | 8'11" ft/inches (270 cm) | 9'11" ft/inches (300 cm) | 10'10" ft/inches (330 cm) | 11'10" ft/inches (360 cm) | 12'10" ft/inches (390 cm) | 13'10" ft/inches (420 cm) | 15'2" ft/inches (460 cm) |
| Length inside | 6'1" ft/inches (185 cm) | 7'0" ft/inches (212 cm) | 7'11" ft/inches (240 cm) | 8'6" ft/inches (258 cm) | 9'56" ft/inches (288 cm) | 10'3" ft/inches (312 cm) | 11'6" ft/inches (350 cm) |
| Width overall | 5'7" ft/inches (170 cm) | 5'7" ft/inches (170 cm) | 5'7" ft/inches (170 cm) | 6'5" ft/inches (195 cm) | 6'5" ft/inches (195 cm) | 6'5" ft/inches (195 cm) | 7'1" ft/inches (216 cm) |
| Width inside | 2'9" ft/inches (82 cm) | 2'9" ft/inches (82 cm) | 2'9" ft/inches (82 cm) | 3'3" ft/inches (99 cm) | 3'3" ft/inches (99 cm) | 3'3" ft/inches (99 cm) | 3'9" ft/inches (112 cm) |
| Tube diameter | 18" ft/inches (44 cm) | 18" ft/inches (44 cm) | 18" ft/inches (44 cm) | 19" ft/inches (48 cm) | 19" ft/inches (48 cm) | 19" ft/inches (48 cm) | 21" ft/inches (52 cm) |
| Bare boat weight* | 66+44 pound (30+20 kg) | 66+55 pound (30+25 kg) | 75+64 pound (34+29 kg) | 97+79 pound (44+36 kg) | 117+88 pound (53+40 kg) | 126+95 pound (57+43 kg) | 154+117 pound (70+53 kg) |
| Loading capacity | 990 pound (450 kg) | 1100 pound (500 kg) | 210 pound (550 kg) | 1650 pound (750 kg) | 1760 pound (800 kg) | 1870 pound (850 kg) | 2200 pound (1000 kg) |
| Passanger capacity | 4 Persons | 5 Persons | 6 Persons | 7 Persons | 8 Persons | 8 Persons | 10 Persons |
| No of chambers | 3+2 pcs | 3+2 pcs | 3+1 pcs | 4+1 pcs | 3+1 pcs | 3+1 pcs | 6+1 pcs |
| Engine recommended | 7.4 kW (10 HP) | 11.0 kW (15 HP) | 14.7 kW (20 HP) | 14.7 kW (20 HP) | 18.4 kW (25 HP) | 22.1 kW (30 HP) | 22.1 kW (30 HP) |
| Engine max. | 11.0 kW (15 HP) | 14.7 kW (20 HP) | 14.7 kW (20 HP) | 18.4 kW (25 HP) | 29.4 kW (40 HP) | 29.4 kW (40 HP) | 29.4 kW (40 HP) |
| Engine weight max. | 113 pound (51 kg) | 122 pound (55 kg) | 122 pound (55 kg) | 181 pound (82 kg) | 217 pound (98 kg) | 217 pound (98 kg) | 217 pound (98 kg) |
| Tube material | PVC, CSM(Hypalon**) on request | | | | | | |
| Shaft length | short | short | short | short | short | long | long |
| Floor type | flat | flat | flat | flat | flat | flat | flat |
| Keel | Medium V keel AIR | | | | | | |
| Hull | Foldable boats with ALU floorboards flat | | | | | | |
| Bow locker | - | - | - | - | - | - | - |
| Boat design category*1 | D | C | C | C | C | C | C |
| Package size 1st box | 125*52*32 cm | 125*52*32 cm | 125*52*32 cm | 155*62*35 cm | 155*62*35 cm | 155*69*40 cm | 166*70*42 cm |
| Package size 2nd box | 106*69*12 cm | 106*62*15 cm | 106*68*15 cm | 132*70*15 cm | 132*64*17 cm | 132*67*17 cm | 141*72*18 cm |

* 1 All boats under 250 cm do not need a CE certificate.

* The bare boat weight is just the weight of the boat without any removable accessory.

** CSM material is formally known as Hypalon. Diffrence in colour!

All technical details can change without prior notice.

All standard equipment and technical data may vary without prior notice!

ZAR FORMENTI SRL

Vigna della Pace 2/2 20086
Motta Visconti (MI) - ITALY

www.zarmini.com

Tel: +39 (00) 02.900 00 788
Fax: +39 (00) 02.900 01 850



ZAR mini

Serie ALU

ALU Classic and ALU with speedtubes – Foldables with aluminium floorboards and keel

Our **ZAR mini™ ALU** line is the ideal inflatable boat for people, who are looking for a reliable and safe foldable boat. It is easy to assemble and can take an engine up to 40 hp.

The **ZAR mini™ ALU** line can easily pull water toys and tubes with the two installed D-rings on the transom.

With our specially designed two speed tubes installed under the main tube of ALU 13, ALU 14 and ALU 15, you will enjoy a very unique fast and comfortable ride. It is real fun!

All foldable ALU inflatables from **ZAR mini™** have a 5 layer reinforced high quality 1.100 dtex PVC material with a weight of 1.050 g/m² and a thickness of 0.9 mm. All PVC seams of our **ZAR mini™** tube chambers are welded*. To keep the weight down, we use a very strong but light constructed Aluminum floor that we manufacture in our production. High quality materials paired with constant research and development are the key to success.

All boats feature an overpressure valve, as standard equipment, that will protect your tube when inflated properly.

Every single **ZAR mini™** inflatable boat passes a very strict quality control, before we deliver it to our valued customers. Just in case a mistake passes the quality control, you will be protected by our limited 2 years warranty after registering your boat with us.

With our large standard equipment and our modern Italian Design with an extra wide bow, the **ZAR mini™** inflatables are one of a kind.

The **ZAR mini™ ALU** line is ideal for towing water toys, SCUBA diving and fishing. An absolute must for every holiday.

*starting from production month May 2016





www.zarmini.com

ZAR mini

ALU 9 ALU 10 ALU 11 ALU 12

Classic ALU – Foldables with aluminium floorboards and keel





www.zarmini.com

ZAR mini

ALU 13 ALU 14 ALU 15

ALU with speedtubes – Foldables with aluminium floorboards and keel

